



TITLE:

Cover

AUTHOR(S):

CITATION:

Cover. The Review of Physical Chemistry of Japan 1979, 49(1)

ISSUE DATE:

1979-07-25

URL:

<http://hdl.handle.net/2433/47070>

RIGHT:

Vol. 49, 1979

No. 1

THE

*Y. Kiminaka
J. Iwata*

REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

CONTENTS

Masaru Hongo : Initial Density Dependence of Gas Viscosity	1
Masaru Hongo : Viscosity of Propylene under Pressures	11
Kiyoshi Shimizu and Noriaki Tsuchihashi : Pressure Effect on Conductance of Aqueous Solutions of Potassium Halides	16
Toshihiro Nakayama : Pressure Effect on the EDA Complexes in Solution.....	25
Yoshimasa Takezaki, Koichi Watanabe, Yoshiyuki Tanaka and Akira Nagashima : Some Evaluated Thermophysical Properties of Gaseous Ethyne	39
Tsutomu Asano : On the Volume Increase During Cyclization	56

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

President : Wasaburo Jono

Members of Council :

Michio Okamoto (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Elji Suito

Hiroyuki Hatano

Board of Editors :

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito (") *Maizuru Technical College*

S. Shida *Yokohama University*

H. Teranishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Kuwata *University of Osaka*

S. Seki *University of Osaka*

R. Fujishiro *Osaka City University*

T. Hayakawa *Prefectural University of Osaka*

Y. Kubokawa *Prefectural University of Osaka*

S. Tsuchihashi *Osaka Institute of Technology*

T. Makita *Kobe University*

K. Manobe *Okayama University*

K. Shimizu *Doshisha University*

H. Togawa *Baika Women's College*

Secretary :

M. Sasaki

K. Hara

M. Nakahara

N. Sumi

July 25, 1979

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD., Kyoto, Japan

KANEKA^R's

products and technologies shall be at your service

KANEKA has now firmly secured its leading position in Japan's chemical industry, and enjoys a high international reputation not only for its capability of offering unique, high-quality products in quick succession but also for its establishment of technical know-how in various field of technology.

KANEKA's unique, high-quality products are as follows... "Kanealon" and "Kanecearon" a self-extinguishing modacrylic fiber and are booming for suitability and nonflammability for carpets, curtains and wigs. "Kane-Ace B," PVC modifier, is now in brisk world-wide demand. "PVC Dispersion Resin," "Heat Resistant PVC," "Expandable Polystyrene," and so on. A variety of epochal projects are now under way at our 10 laboratories far ahead in the same field both at home and abroad.

* KANEKA's per capita sales and profit are ranked as one of the highest among all chemical manufacturers in the world, thanks to our very high productivity.

* KANEKA's products have, for the most part, originated in its own laboratories.

* 55% of KANEKA's products have been developed on its hands for the first time in Japan.

KANEKA^R

For further details, please write to:
KANEGAFUCHI CHEMICAL IND. CO., LTD.

Head Office 2-4, 3-chome, Nakanoshima, Kita-ku, Osaka

Tel. (06) 208-6161

(General Affairs Depart.)

Tokyo Office 3-12, 1-chome, Motoakasaka, Minato-ku, Tokyo

Tel. (03) 405-1011

Europe Office Weststraat 34, 1040 Brussels, Belgium

Tel. (02) 2305180

Kaneka Belgium N.V. Nijverheidsstraat 19, 2431 Westerlo-Oevel, Belgium

Tel. (04) 214941-5

Kaneka America Corporation 1251 Avenue of the Americas,

New York, NY 10020 U.S.A.


Tel. (212) 581-6412

Established 1949

Capital ¥9,411 million



Tell us about how you're using fluorine compounds.



Fluorine compounds have many unique qualities. But their usages today are only the beginning; the best is yet to come.

DAIKIN is a total maker of fluorine compounds. Our series of them has been developed from Fluorspar as its basic material. And we've learned a lot along the way.

So the next time you discuss fluorine compounds, think of DAIKIN—the company with all the answers. Answers we're anxious to share.

DAIKIN Fluorochemicals

DAIKIN KOGYO CO. LTD.

Head Office: Shin-Hankyu Bldg., 12-39, Umeda 1-Chome, Kitaku, Osaka, Japan
Phone: Osaka (06) 346-1201 Telex: 523-3844

**Example of Application with
EMAX-1000 + SEM**



Photo 1 : 700 fold enlargement of an IC. The lower part shows the line analysis of Al. The electron Beam is scanned over the line (scanning time: 80 sec.).



Photo 2: The plan analysis of Photo 1 showing Al distribution.



Photo 3: Background is removed by contrast enhancer.





Photo 4: The X-ray analysis of the area shown in Photo 1. The brighter peak is the window-set Al. The adjacent peak is Si.

**Simultaneous qualitative analysis of
multi-elements(^{11}Na - ^{92}U)
in a few tens of seconds.**



X-ray Micro-Analysis System

**HORIBA MODEL EMAX-1000 SERIES
X-RAY ENERGY DISPERSIVE ANALYZERS**

Each of HORIBA Model EXAM-1000 SERIES X-RAY ED ANALYZER for X-ray micro-analysis is a system for simultaneously, speedily and easily analyzing a multiple number of elements of a substance in a small area, by assembling it together with your electron microscope of SEM or TEM type. Extremely reliable. No personal error. Non-destructive. Consists of a high-resolution Si(Li) X-Ray Detector, a Pulse-Height Analyzer and a Video Display.

MAIN APPLICATIONS

Qualitative analysis in the fields of metal and mineral industries, chemical industries and electronic industries.
Fixing the elements in biochemical and bio-assay studies.

Objects: Characteristic X-rays of elements from ^{11}Na (sodium) to ^{92}U (uranium).

System of Measurement:
Energy-Dispersive Method by Si(Li) X-Ray Detector.

Energy Resolution:
Less than F.W.H.M. 162eV
(MnK α Line 5.9keV, 1000 cps)

A group of specialists in HORIBA, Ltd. also offers an engineering service encompassing an overall system in order to maximize the performances of your X-ray analyzer system.

HORIBA

HORIBA, Ltd.


Head Office:
Miyano Higashi, Kisshoin, Minami-ku, Kyoto,
Japan

Phone : (075) 313-8121

Cable Add.: HORIBA KYOTO / Telex: 5422130

**We serve.....
Many peoples,
Many lands,
Many ways.**

**SYNTHETIC RESINS & PLASTICS
INDUSTRIAL CHEMICALS
FERTILIZERS
DYE STUFFS
AGRICULTURAL CHEMICALS
MEDICINES
CONSTRUCTION AND BUILDING
MATERIALS**



**MITSU
TOATSU**

MITSUMI TOATSU CHEMICALS, INC.

2-5, Kasumigasaki 3-chome, Chiyoda-ku, Tokyo, Japan


Cable: "MITSUMI TOATSU TOKYO"

Telex: Call No. 0222-3622 Answer Back Code (MATCHEM J)

Like the goose that laid the golden eggs, Asahi Kasei is producing many things for your needs.

To make life better for everyone, Asahi Kasei produces all kinds of fibers and filaments to make the clothes you wear . . . draperies, carpets, wall coverings, blankets . . . tire cords for your automobile. We're in the food business with natural food flavoring and seasoning . . . frozen foods like hamburgers and meat balls. Skyscrapers use Asahi autoclaved lightweight concrete. We care for your health with medical

equipment, medicines, artificial kidneys. Asahi Kasei products also include plastics of all kinds, synthetic rubber, fertilizers, starting materials and intermediates, ion exchange membranes for a non-polluting method of producing caustic soda, photosensitive resins for the printing industry. Our research engineers are working on more new products to make your life easier and happier.




Asahi Chemical Industry Co., Ltd.

Tokyo Head Office: Hibiya-Mitsui Building, 1-2, Yuraku-cho 1-chome, Chiyoda-ku, Tokyo, Japan

Tel: (03) 507-2730 Telex: 222-3518 (BEMBRG J) Cable: ASAHIKASEI TOKYO

Osaka Head Office: Shin-Osaka Building, 25-1, Dojima Hamadori 1-chome, Kita-ku, Osaka, Japan

Tel: (06) 347-3111 Telex: 523-3811 (BEMBRG J) Cable: BEMBRG OSAKA



KS TYPE DIA APPARATUS

The super-high pressure generator developed by Kobe Steel, Ltd. is called the KS type DIA apparatus. The apparatus is used for the research on the solid state physics, synthesizing new substances, producing man-made diamonds and various other experiments in the field of high pressure on solid.

Model No.	DIA-6	DIA-10	DIA-15	DIA-20
Working pressure (kilobars)	100	80	80	60
Working temperature (°C) (under the pressure above)	1,500	1,500	1,500	1,500
Dimensions of sample holder (mm)	6×6×6	10×10×10	15×15×15	20×20×20
Capacity of high pressure press (metric ton)	250	600	1,200	2,500
Input (not including power for heating)	750W 200V 50 or 60Hz	1,500W 200V 50 or 60Hz	1,500W 200V 50 or 60Hz	1,500W 200V 50 or 60Hz
Operation period (minute/cycle)	15	20	25	30



KOBE STEEL

MACHINERY & ENGINEERING DIVISION

● KOBE OFFICE 3-18, 1-chome, Wakinocho, Fukui-ku, Japan Phone: Kobe (078) 251-1551

● TOKYO OFFICE Tekko Bldg., 8-2, 1-chome, Marunouchi, Chiyoda-ku, Tokyo, Japan Phone: Tokyo (03) 218-7111